



access tower solutions





Access Tower Solutions

You're in safe hands with ATF

Welcome to ATF, the Australian owned, market leader in the supply of quality solutions for height safety and temporary fencing. For over 20 years throughout Australia and New Zealand, ATF has built a reputation for delivering an extensive range of smarter safety solutions, through superior product quality, backup and service. Whether you're in mining, civil, residential, government, industrial, commercial, maintenance or events industries, ATF has the product range, knowledge and experience to manage your project from pre-planning to completion. We appoint a Client Manager to work closely with you to tailor a solution to suit your needs, someone who understands local compliance issues, someone who will help you meet your critical construction or event schedules saving your company costly delays and importantly, unwanted injury. All ATF equipment is locally made and rigorously tested to meet the highest Australian standards and the toughest conditions. For all your height safety and temporary fencing solutions, don't compromise, talk to ATF today.

Why choose ATF Access Tower Solutions?

Safety is very important to us and having the right tool for your job is important to you. ATF Access Towers are one of the safest and strongest access solutions available. They suit a range of applications and industries, will provide better work place safety, and increase productivity. ATF have a strong reputation throughout Australia and New Zealand for producing innovative scaffolding systems for customers in all types of industries. Our range of scaffolding includes, heavy gauge aluminium components, diagonal bracing, internal handrails and tie tubes, giving you the reliability you expect from a high quality scaffolding system. Installation is carried out by fully trained and competent installers. Ensure safety on your site by providing an access scaffolding aluminium Stair Tower. ATF Access Tower systems meet relevant Australian and New Zealand standards - engineering details/certificates available on request.

Suitable For:

- Plastering
- Maintenance Work
- Restoration Work
- Painting
- Construction Applications

They provide a safe, temporary work platform that meets all requirements for the new occupational health and safety regulations.



Convenient:

Our aluminium and steel towers offer an ideal solution for those hard-to-reach places that require safe and convenient access. Aluminium and steel Staircase Towers are ideal for high traffic areas where workers need to move through different levels. They provide quick, easy and safe movement. Walkthrough frames can also be incorporated to join towers. Simple and easy to erect thanks to the lightness of aluminium, our frames and accessories are durable, low-maintenance and mobile giving you the versatility to relocate or adjust, making them easy to transport and cost effective.

Occupational Health and Safety:

ATF Services products have undergone the most stringent testing to meet AS 1576 Scaffolding and AS 4994 Temporary Roof Edge Protection. ATF proactively supplies all relevant Occupational Health and Safety documentation highlighting our commitment to safety on your sites. The procedures aligned with this documentation allow us onto sites that competitors do not qualify for like Government work and Construction Industry Code compliance work. ATF Occupational Health and Safety and Environmental Policy are available on request.

Safe Work Method Statements (SWMS):

ATF will provide all appropriate SWMS and install all height safety equipment in accordance with Australian Standards.

Site Specific Risk Assessments:

All ATF installers are trained to carry out site specific risk assessments prior to commencing any work, all risk assessments remain on file for future reference.

Insurances:

ATF has full insurance coverage, including professional liability, and workers compensation. Copies of certification can be provided on request.

- 1 Simple to erect
- 2 Ideal for high traffic areas
- 3 Quick, easy and safe movement



Variable Heights

- Increments of 1.6m rises
- Maximum allowable height of 3.6m – not tied in, tie tubes and supporting structure are required to be fitted
- Maximum distance between ties is 3.9m – refer to AS/NZS4576-1995 (guidelines for Scaffolding) for guidelines on tying to supporting structures
- Toe Boards fitted
- Top Level internal handrail is fitted with an exit rail to prevent falls
- Scaffold Tags/Hand over certificates are provided on completion of installation

Additional sizes are available on request.

4

Ideal solution for those hard to reach places

5

Top level internal handrail is fitted with an exit rail to prevent falls

6

Scaffold Tags/Hand over certificates are provided on completion of installation





There's an ATF Branch near you

AUSTRALIA

NEW SOUTH WALES

- Sydney
- Northern NSW
- Western NSW
- Dubbo
- Nowra
- Armidale
- Muswellbrook
- Cooma
- Narrandera
- Central Coast
- Newcastle
- Mid North Coast
- Coffs Harbour
- Yamba
- Tamworth
- Mudgee
- Wollongong
- Albury
- Wagga Wagga

AUSTRALIAN CAPITAL TERRITORY

- Canberra

VICTORIA

- Yarrowonga
- Bendigo
- Ballarat
- Geelong
- Melbourne
- Central Victoria
- North East Victoria
- Victoria West
- Gippsland
- Swan Hill
- Shepparton
- Warrnambool
- Wodonga

SOUTH AUSTRALIA

- Adelaide

TASMANIA

- Hobart
- Launceston

WESTERN AUSTRALIA

- Perth
- Bunbury
- Esperance
- Karratha
- Port Headland
- Mandurah
- Albany
- Kalgoorlie

NORTHERN TERRITORY

- Darwin

QUEENSLAND

- Gold Coast
- Brisbane
- Sunshine Coast
- Toowoomba
- Townsville
- Mackay
- Hervey Bay
- Wide Bay
- Darling Downs
- Ingham
- Charters Towers
- Ayr
- Palm Island
- Airlie Beach
- Clermont
- Moranbah
- Roma
- Rockhampton
- Cairns

NEW ZEALAND

NORTH ISLAND

- Auckland
- Tauranga
- Wellington
- Whangarei
- Hamilton

SOUTH ISLAND

- Christchurch



access tower solutions

Australian Branches
Ph: 13 17 16

New Zealand Branches
Ph: 0508 13 17 16

atfservices.com.au